

Remarks

Entry of the above-noted amendments is respectfully requested. The amendments correct typographical errors and thus, no new matter has been added. Claims 1-25 are pending.

Allowable Subject Matter:

Claims 1-25 are allowed. Applicants gratefully acknowledge this indication of allowance.

Drawing Objections

The Office Action (page 2, lines 1-4) states:

The drawings are objected to because the specification discloses that the optional block of figures 2 and 3 “64” is a feedback link from block 40 to block 54 (see paragraph [0020]), but figures 2 and 3 shows an arrow from block 64 to block 40, this arrow should be reversed so block 64 feedback the signal from block 40 to block 54.

On replacement drawing sheets 2-3, the prior arrow from element 64 to element 40 in the feedback loop 94 has been corrected to point from element 40 to element 64.

Withdrawal of the objection to the drawings is therefore respectfully requested.

Specification Objections

The Office Action (page 3, lines 1-6) states:


The disclosure is objected to because of the following informalities: In page 9 paragraph [0022] line 6 “a time delay of approximately 2 :s can be provided” is improper because it is not understood what the “2 :s” means. It seems impossible to be “2 s”, because that will be inoperative, a additional latency of 2 s to receive the signal will produce a considerable additional delay in the transmission. Appropriate correction is required.

Applicants have amended the specification to recite "2 μ s" as a correction of a typographical error.

Withdrawal of the objection to the specification is therefore respectfully requested.

In view of the above amendments and remarks, applicants respectfully request that the above-presented amendments be entered and the application be passed to issue. If a telephone conference would be of assistance in advancing the prosecution of this application, the Examiner is invited to call applicants' attorney.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Carmen B. Patti", is written over a horizontal line.

Carmen B. Patti
Attorney for Applicants
Reg. No. 26,784

Dated: February 1, 2006

CARMEN B. PATTI & ASSOCIATES, LLC
Customer Number 32205

Drawing Amendments

Kindly substitute the replacement drawing sheets 2-3 presented herewith for the prior drawing sheets 2-3.

On replacement drawing sheets 2-3, the prior arrow from element 64 to element 40 in the feedback loop 94 has been corrected to point from element 40 to element 64.

Approval and entry of the replacement drawing sheets 2-3 are respectfully requested.